ELSEVIER

Journal of Controlled Release 60 (1999) 417–419

journal of controlled release

Author Index Volume 60 (1999)

Ahmed, S., see Capan, Y. (60) 279
Alard, V., see Brinon, L. (60) 67
Alhaique, F., see Coviello, T. (60) 367
Allegra, F., see Marconi, B. (60) 261
Anderson, K.E., Stevenson, B.R. and Rogers, J.A., Folic acid–PEO-labeled liposomes to improve gastrointestinal absorption of encapsulated agents (60) 189
Aoki, O., see Okimoto, K. (60) 311
Aoyama, H., see Miyazaki, S. (60) 287
Appel, M., see Peracchia, M.T. (60) 121
Arunothayanun, P., Sooksawate, T. and Florence, A.T., Extrusion of niosomes from capillaries. approaches to a pulsed delivery device (60) 391
Attwood, D., see Miyazaki, S. (60) 287

Besnard, M., see Peracchia, M.T. (60) 121
Birkenhauer, P., see Yang, Z. (60) 269
Bittner, B., Witt, C., Mäder, K. and Kissel, T., Degradation and protein release properties of microspheres prepared from biodegradable poly(lactide-co-glycolide) and ABA triblock copolymers: influence of buffer media on polymer erosion and bovine serum albumin release (60) 297
Blankschtein, D., see Tse, G. (60) 77
Bodmeier, R., see Siepmann, J. (60) 379
Bonneaux, F., see Zambaux, M.F. (60) 179
Böttcher, H., Jagota, C., Trepte, J., Kallies, K.-H. and Haufe, H., Sol–gel composite films with controlled release of biocides (60) 57
Boustta, M., see Gautier, S. (60) 235
Brinon, L., Geiger, S., Alard, V., Doucet, J., Tranchant, J.-F. and Couarraze, G., Percutaneous absorption of sunscreens from liquid crystalline phases (60) 67

Capan, Y., Woo, B.H., Gebrekidan, S., Ahmed, S. and DeLuca, P.P., Influence of formulation parameters on the characteristics of poly(D,L-lactide-co-glycolide) microspheres containing poly(L-lysine) complexed plasmid DNA (60) 279
Carafa, M., see Coviello, T. (60) 367
Cartilier, L.H., see Dumoulin, Y. (60) 161
Cherng, J.-Y., Schuurmans-Nieuwenbroek, N.M.E., Jiskoot, W., Talsma, H., Zuidam, N.J., Hennink, W.E. and Crommelin, D.J.A., Effect of DNA topology on the transfection efficiency of poly((2-dimethylamino)ethyl methacrylate)–plasmid complexes (60) 343
Chevanne, F., see Malinovsky, J.-M. (60) 111
Chickering, D., see Yang, Z. (60) 269
Colombo, P., see Marconi, B. (60) 261
Couarraze, G., see Brinon, L. (60) 67
Couvreur, P., see Peracchia, M.T. (60) 121
Coviello, T., Grassi, M., Rambone, G., Santucci, E., Carafa, M., Murtas, E., Riccieri, F.M. and Alhaique, F., Novel hydrogel system from scleroglucan: synthesis and characterization (60) 367
Crommelin, D.J.A., see Cherng, J.-Y. (60) 343

d'Angelo, J., see Peracchia, M.T. (60) 121
Dellacherie, E., see Polakovič, M. (60) 169
Dellacherie, E., see Zambaux, M.F. (60) 179
DeLuca, P.P., see Capan, Y. (60) 279
DeNoto, A.R., see Thombre, A.G. (60) 333
Desmaële, D., see Peracchia, M.T. (60) 121
Domb, A.J., see Teomim, D. (60) 129
Doucet, J., see Brinon, L. (60) 67
Dumoulin, Y., Cartilier, L.H. and Mateescu, M.A., Cross-linked amylose tablets containing α-amylase: an enzymatically-controlled drug release system (60) 161
Dunmire, E.N., see Owen, D.H. (60) 23
Dvořák, M., Kopečková, P. and Kopeček, J., High-molecular weight HPMA copolymer–adriamycin conjugates (60) 321

Fang, C.-L., see Fang, J.-Y. (60) 1
Fang, J.-Y., Sung, K.C., Lin, H.-H. and Fang, C.-L., Transdermal iontophoretic delivery of enoxacin from various liposome-encapsulated formulations (60) 1
Fattal, E., see Peracchia, M.T. (60) 121
Fishbien, I., see Teomim, D. (60) 129
Florence, A.T., see Arunothayanun, P. (60) 391
Franssen, O., Vandervennet, L., Roders, P. and Hennink, W.E., Degradable dextran hydrogels: controlled release of a model protein from cylinders and microspheres (60) 211
Freedman, B.D., see Santos, C.A. (60) 11

Gander, B., see Yang, Z. (60) 269
Gautier, S., Boustta, M. and Vert, M., Alkylated poly(L-lysine citramide) as models to investigate the ability of amphiphilic macromolecular drug carriers to physically entrap lipophilic compounds in aqueous media (60) 235
Gazzaniga, A., see Marconi, B. (60) 261

PII: S0168-3660(99)00164-9

Gebrekidan, S., see Capan, Y. (60) 279
Geiger, S., see Brinon, L. (60) 67
Gibbes, D.C., see Thombre, A.G. (60) 333
Giordano, F., see Marconi, B. (60) 261
Godbey, W.T., Wu, K.K. and Mikos, A.G., Poly(ethylenimine) and its role in gene delivery (60) 149
Golomb, G., see Teomim, D. (60) 129
Gomis, J.M., see Peracchia, M.T. (60) 121
Görner, T., see Polakovič, M. (60) 169
Gowrishankar, T.R., Herndon, T.O., Vaughan, T.E. and Weaver, J.C., Spatially constrained localized transport regions due to skin electroporation (60) 101
Grassi, M., see Coviello, T. (60) 367
Gref, R., see Polakovič, M. (60) 169
Gref, R., see Zambaux, M.F. (60) 179

Haufe, H., see Böttcher, H. (60) 57
Hennink, W.E., see Cherng, J.-Y. (60) 343
Hennink, W.E., see Franssen, O. (60) 211
Hennink, W.E., see Hinrichs, W.L.J. (60) 249
Herndon, T.O., see Gowrishankar, T.R. (60) 101
Hinrichs, W.L.J., Schuurmans-Nieuwenbroek, N.M.E., Van de Wetering, P. and Hennink, W.E., Thermosensitive polymers as carriers for DNA delivery (60) 249

Ibuki, R., see Okimoto, K. (60) 311
Ikeda, M., see Miyajima, M. (60) 199
Irie, T., see Okimoto, K. (60) 311

Jagota, C., see Böttcher, H. (60) 57
Jiskoot, W., see Cherng, J.-Y. (60) 343
Julmy, F., see Yang, Z. (60) 269

Kallies, K.-H., see Böttcher, H. (60) 57
Kantaria, S., Rees, G.D. and Lawrence, M.J., Gelatin-stabilised microemulsion-based organogels: rheology and application in iontophoretic transdermal drug delivery (60) 355
Katz, D.F., see Owen, D.H. (60) 23
Kawasaki, N., see Miyazaki, S. (60) 287
Kissel, T., see Bittner, B. (60) 297
Kopeček, J., see Dvořák, M. (60) 321
Kopečková, P., see Dvořák, M. (60) 321
Koshika, A., see Miyajima, M. (60) 199
Kubo, W., see Miyazaki, S. (60) 287

Lawrence, M.J., see Kantaria, S. (60) 355
Le Corre, P., see Malinovsky, J.-M. (60) 111
Leach, K.J., see Santos, C.A. (60) 11
Lecomte, F., see Siepmann, J. (60) 379
Legros, F., see Malinovsky, J.-M. (60) 111
Leverge, R., see Malinovsky, J.-M. (60) 111
Lin, H.-H., see Fang, J.-Y. (60) 1
Lüscher, T.F., see Yang, Z. (60) 269

Mäder, K., see Bittner, B. (60) 297
Malinovsky, J.-M., Le Corre, P., Meunier, J.-F., Chevanne, F., Pinaud, M., Leverge, R. and Legros, F., A dose–response study of epidural liposomal bupivacaine in rabbits (60) 111
Mancini, F., see Marconi, B. (60) 261
Marconi, B., Mancini, F., Colombo, P., Allegra, F., Giordano, F., Gazzaniga, A., Orecchia, G. and Santi, P., Distribution of khellin in excised human skin following iontophoresis and passive dermal transport (60) 261
Mateescu, M.A., see Dumoulin, Y. (60) 161
Mathiowitz, E., see Santos, C.A. (60) 11
Mayberg, M., see Teomim, D. (60) 129
Merkle, H.P., see Yang, Z. (60) 269
Meunier, J.-F., see Malinovsky, J.-M. (60) 111
Mikos, A.G., see Godbey, W.T. (60) 149
Miyajima, M., Koshika, A., Okada, J. and Ikeda, M., Mechanism of drug release from poly(L-lactic acid) matrix containing acidic or neutral drugs (60) 199
Miyazaki, S., Aoyama, H., Kawasaki, N., Kubo, W. and Attwood, D., In situ-gelling gellan formulations as vehicles for oral drug delivery (60) 287
Murtas, E., see Coviello, T. (60) 367

Nielsen, H.M., Verhoef, J.C., Ponec, M. and Rassing, M.R., TR146 cells grown on filters as a model of human buccal epithelium: permeability of fluorescein isothiocyanate-labelled dextrans in the presence of sodium glycocholate (60) 223
Nieuw Amerongen, A.V., see Ruissen, A.L.A. (60) 49
Noël, J.P., see Peracchia, M.T. (60) 121

Ohike, A., see Okimoto, K. (60) 311
Ohnishi, N., see Okimoto, K. (60) 311
Okada, J., see Miyajima, M. (60) 199
Okimoto, K., Ohike, A., Ibuki, R., Aoki, O., Ohnishi, N., Rajewski, R.A., Stella, V.J., Irie, T. and Uekama, K., Factors affecting membrane-controlled drug release for an osmotic pump tablet (OPT) utilizing $(SBE)_{7m}$-β-CD as both a solubilizer and osmotic agent (60) 311
Orecchia, G., see Marconi, B. (60) 261
Orloff, L., see Teomim, D. (60) 129
Owen, D.H., Dunmire, E.N., Plenys, A.M. and Katz, D.F., Factors influencing nonoxynol-9 permeation and bioactivity in cervical mucus (60) 23

Peracchia, M.T., Fattal, E., Desmaële, D., Besnard, M., Noël, J.P., Gomis, J.M., Appel, M., d'Angelo, J. and Couvreur, P., Stealth® PEGylated polycyanoacrylate nanoparticles for intravenous administration and splenic targeting (60) 121
Pinaud, M., see Malinovsky, J.-M. (60) 111
Plenys, A.M., see Owen, D.H. (60) 23
Pliquett, U.F., see Vanbever, R. (60) 35
Polakovič, M., Görner, T., Gref, R. and Dellacherie, E., Lidocaine loaded biodegradable nanospheres. II. Modelling of drug release (60) 169
Ponec, M., see Nielsen, H.M. (60) 223
Préat, V., see Vanbever, R. (60) 35
Press, D.L., see Santos, C.A. (60) 11

Rajewski, R.A., see Okimoto, K. (60) 311
Rambone, G., see Coviello, T. (60) 367
Ranieri, J.P., see Yang, Z. (60) 269
Rassing, M.R., see Nielsen, H.M. (60) 223

Rees, G.D., see Kantaria, S. (60) 355
Riccieri, F.M., see Coviello, T. (60) 367
Roders, P., see Franssen, O. (60) 211
Rogers, J.A., see Anderson, K.E. (60) 189
Ruissen, A.L.A., van der Reijden, W.A., van't Hof, W., Veerman, E.C.I. and Nieuw Amerongen, A.V., Evaluation of the use of xanthan as vehicle for cationic antifungal peptides (60) 49

Santi, P., see Marconi, B. (60) 261
Santos, C.A., Freedman, B.D., Leach, K.J., Press, D.L., Scarpulla, M. and Mathiowitz, E., Poly(fumaric–co-sebacic anhydride). A degradation study as evaluated by FTIR, DSC, GPC and X-ray diffraction (60) 11
Santucci, E., see Coviello, T. (60) 367
Scarpulla, M., see Santos, C.A. (60) 11
Schuurmans-Nieuwenbroek, N.M.E., see Cherng, J.-Y. (60) 343
Schuurmans-Nieuwenbroek, N.M.E., see Hinrichs, W.L.J. (60) 249
Shefer, A., see Tse, G. (60) 77
Shefer, S., see Tse, G. (60) 77
Siepmann, J., Lecomte, F. and Bodmeier, R., Diffusion-controlled drug delivery systems: calculation of the required composition to achieve desired release profiles (60) 379
Sooksawate, T., see Arunothayanun, P. (60) 391
Stella, V.J., see Okimoto, K. (60) 311
Stevenson, B.R., see Anderson, K.E. (60) 189
Sung, K.C., see Fang, J.-Y. (60) 1

Talsma, H., see Cherng, J.-Y. (60) 343
Teomim, D., Fishbien, I., Golomb, G., Orloff, L., Mayberg, M. and Domb, A.J., Perivascular delivery of heparin for the reduction of smooth muscle cell proliferation after endothelial injury (60) 129
Thombre, A.G., DeNoto, A.R. and Gibbes, D.C., Delivery of glipizide from asymmetric membrane capsules using encapsulated excipients☆ (60) 333
Tranchant, J.-F., see Brinon, L. (60) 67
Trepte, J., see Böttcher, H. (60) 57
Trotta, M., Influence of phase transformation on indomethacin release from microemulsions (60) 399
Tse, G., Blankschtein, D., Shefer, A. and Shefer, S., Thermodynamic prediction of active ingredient loading in polymeric microparticles (60) 77

Uekama, K., see Okimoto, K. (60) 311

Vanbever, R., Pliquett, U.F., Préat, V. and Weaver, J.C., Comparison of the effects of short, high-voltage and long, medium-voltage pulses on skin electrical and transport properties (60) 35
van der Reijden, W.A., see Ruissen, A.L.A. (60) 49
Vandervennet, L., see Franssen, O. (60) 211
van de Wetering, P., see Hinrichs, W.L.J. (60) 249
van't Hof, W., see Ruissen, A.L.A. (60) 49
Vaughan, T.E., see Gowrishankar, T.R. (60) 101
Veerman, E.C.I., see Ruissen, A.L.A. (60) 49
Verhoef, J.C., see Nielsen, H.M. (60) 223
Vert, M., see Gautier, S. (60) 235
Vigneron, C., see Zambaux, M.F. (60) 179

Weaver, J.C., see Gowrishankar, T.R. (60) 101
Weaver, J.C., see Vanbever, R. (60) 35
Witt, C., see Bittner, B. (60) 297
Woo, B.H., see Capan, Y. (60) 279
Wu, K.K., see Godbey, W.T. (60) 149

Yang, Z., Birkenhauer, P., Julmy, F., Chickering, D., Ranieri, J.P., Merkle, H.P., Lüscher, T.F. and Gander, B., Sustained release of heparin from polymeric particles for inhibition of human vascular smooth muscle cell proliferation (60) 269

Zambaux, M.F., Bonneaux, F., Gref, R., Dellacherie, E. and Vigneron, C., Preparation and characterization of protein C-loaded PLA nanoparticles (60) 179
Zuidam, N.J., see Cherng, J.-Y. (60) 343

ELSEVIER

Journal of Controlled Release 60 (1999) 421–422

journal of controlled release

Subject Index Volume 60 (1999)

ABA triblock copolymers, (60) 297
Acidic and neutral drugs, (60) 199
Active ingredient loading, (60) 77
Adriamycin (doxorubicin), (60) 321
Agarose gel electrophoresis, (60) 343
α-Amylase, (60) 161
Anesthetic techniques: epidural, (60) 111
Aqueous pathways, (60) 35
Asymmetric membrane capsules, (60) 333

Biocide, (60) 57
Biodegradable microspheres, (60) 297
Biodegradable nanoparticles, (60) 179
Biodegradable polymer, (60) 199
Buccal permeability, (60) 223

Candida albicans, (60) 49
Capillary extrusion, (60) 391
Carboxylic acid, (60) 11
Cationic polymers, (60) 249, (60) 343
Cell trafficking, (60) 149
Chlorpromazine, (60) 311
Circular dichroism spectroscopy, (60) 343
Confocal microscopy, (60) 223
Controlled drug release, (60) 169
Controlled release, (60) 129, (60) 161
Controlled-porosity osmotic pump tablet, (60) 311
Cross-linked amylose, (60) 161
Crosslinking, (60) 367
Cutaneous permeation, (60) 67
Cyclodextrins, (60) 311

DNA, (60) 249
DNase, (60) 279
Degradation, (60) 11, (60) 321
Delayed release, (60) 211
Dermal iontophoresis, (60) 261
Dextran, (60) 211
Diffusion, (60) 67, (60) 367, (60) 379
Diffusion model, (60) 169
Diffusion-controlled release, (60) 199
Dissolution model, (60) 169
Drug delivery system: liposomes, (60) 111
Drug release, (60) 321, (60) 399
Drug-dispersed matrix, (60) 199

Electrical properties, (60) 35
Electroosmosis, (60) 261
Electroporation, (60) 35, (60) 101
Emulsion, (60) 399
Encapsulated excipients, (60) 333
Enoxacin, (60) 1
Ethyl cellulose, (60) 379
Eudragit®, (60) 379
Experimental anesthesia: rabbits, (60) 111

Fluorescence spectroscopy, (60) 343
Fluorescent probe, (60) 235
Folic acid, (60) 189
Food preservation, (60) 57

Gellan gels, (60) 287
Gene therapy, (60) 343
Glipizide, (60) 333
Group-contribution method, (60) 77

Heparin, (60) 129
Heparin release, (60) 269
Histatin, (60) 49
HPMA copolymer, (60) 321
Human skin, (60) 35, (60) 101
Human smooth muscle cell (SMC) culture, (60) 269
Hydrogels, (60) 161, (60) 211, (60) 367
Hydrophobization, (60) 235

i.v. administration, (60) 121
In situ gelation, (60) 287
Iontophoresis, (60) 355

Khellin, (60) 261

LHRH, (60) 391
Liberation, (60) 57
Lidocaine, (60) 169
Liposomes, (60) 1, (60) 189
Liquid crystals, (60) 67, (60) 399

PII: S0168-3660(99)00165-0

Local anesthetics: bupivacaine, (60) 111

Local transport regions, (60) 101
Lysosomal enzymes, (60) 321

Microemulsion, (60) 399
Microemulsion-based gel, (60) 355
Micropipette, (60) 391
Microspheres, (60) 11, (60) 211, (60) 279
Microspheres/microparticles, (60) 77
Modelling, (60) 169, (60) 379
Molecular weight, (60) 223

Nanoparticles, (60) 121, (60) 169
Nonionic surfactant, (60) 67
Nonionic surfactant vesicle, (60) 391
Nonoxynol-9, (60) 23
Nonviral gene delivery, (60) 149

Oligomer, (60) 11
Oral, (60) 189
Oral drug delivery, (60) 287
Osmolarity, (60) 23
Osmotic delivery, (60) 333
Osmotic pump, (60) 311

PDGF, (60) 269
PEG, (60) 121
PEI, (60) 149
Perivascular delivery, (60) 129
Permeability enhancement, (60) 223
pH, (60) 23
Photochemotherapy, (60) 261
Physico–chemical characterization, (60) 343
Plasmid DNA, (60) 279
Plasticizer, (60) 379
PLGA microspheres, (60) 269
Poly(D,L-lactic acid), (60) 169
Poly(ethylenimine), (60) 149
Poly(lactic acid), (60) 179
Poly(lactide-co-glycolide), (60) 297
Poly(D,L-lactide-co-glycolide), (60) 279
Poly(L-lactic acid), (60) 199
Poly(L-lysine), (60) 279
Polyamphiphile, (60) 235
Polyanhydride, (60) 11, (60) 129
Polycation, (60) 149
Polycyanoacrylate, (60) 121
Polymer degradation mechanism, (60) 297
Polymer-coated, (60) 189
Polymeric anticancer drugs, (60) 321
Polymeric drug carrier, (60) 235
Porous membrane, (60) 311
Prodrugs, (60) 321
Protein C, (60) 179
Protein delivery, (60) 179
Protein release, (60) 211, (60) 297
Protein stability, (60) 179
Pulsatile delivery device, (60) 391

Release kinetics, (60) 111
Release mechanism, (60) 169
Restenosis, (60) 129
Rheology, (60) 355

Saliva substitute, (60) 49
Saphenous vein, (60) 269
$(SBE)_{7m}$-β-CD, (60) 311
Scleroglucan, (60) 367
Skin distribution, (60) 261
Sol–gel, (60) 57
Spermicide, (60) 23
Sperm, (60) 23
Stability, (60) 1
Stealth®, (60) 121
Stratum corneum, (60) 101
Sunscreen, (60) 67
Sustained release, (60) 287, (60) 367, (60) 399

Tablet, (60) 161
Theophylline, (60) 287
Thermodynamic loading model, (60) 77
Thermosensitive polymers, (60) 249
Transdermal drug delivery, (60) 355
Transdermal iontophoresis, (60) 1
TR146 cell culture model, (60) 223
Transdermal transport, (60) 35
Transfection, (60) 149, (60) 249

UNIFAC/UNIFAC–FV, (60) 77

Water-soluble, (60) 235
Wood protection, (60) 57

Xanthan, (60) 49